


DRG.No.B 020210

POWERSEM LTD.


DIM X  
FOR 15mm DEVICES = 123  
FOR 27mm DEVICES = 135





OPTIONAL IP20 GLAND PLATE

FIXINGS & EARTH CONNECTION M8  
AC/DC CONNECTIONS 2\*M8 (M10 FUSE)  
G/K LEADS 600 mm  
FANS 110/115V -30VA approx \*3 (SEE ORDER)  
FANS 230/240V -34VA approx \*3 (SEE ORDER)

FUSES, DV/DT, TT ETC OPTIONAL.  
\*=15mm DEVICES ONLY



DC BARS CAN BE L/R HANDED (50\*3)  
MAY BE SUPPLIED LOOSE FOR TRANSPORT.



SEE 010060 FOR MTG DETAIL.

TOLERANCES UNLESS SPECIFIED  
UNLIMITED DIMENSIONS TO BE ± 0.2  
ANGLES ± 0° 30'  
HOLES + 0.1 - 0.02

REMOVE SHARP EDGES  
ALL DIMENSIONS IN MILLIMETRES  
CHAMFER ALL THREADS AT 45 TO  
ROOT DIAMETER.

POWERSEM LTD OWNS THE COPYRIGHT OF THIS DRAWING WHICH IS  
SUPPLIED IN CONFIDENCE AND WHICH MUST NOT BE USED FOR ANY PURPOSE OTHER THAN  
THAT FOR WHICH IT IS SUPPLIED, AND MUST NOT BE REPRODUCED WITHOUT PERMISSION  
IN WRITING FROM THE OWNERS. © POWERSEM LTD.

TITLE: B6U/H/C PS154/260/110BF

JOB:

MAT'L:  
FINISH: TBA SCALE: 1:4

SPEC.  
DRAWN: PB CHK'D: MP

ASSEMBLY DN  
ASSEMBLY DN

THIRD ANGLE PROJECTION

MOD. No  
ISSUE No 1/26.11.97

DRG.No.B 020210





